ELSEVIER

Journal of Alloys and Compounds 268 (1998) 319

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 268

Abadie, V., 50
Abdellaoui, M., 233
Adorno, A.T., 122
Adroja, D.T., 1
Akiba, E., 285
Ateş, A., 215
Ayupov, B.M., 72

Ban, E., 226
Banakh, O.E., L3
Barbucci, A., 295
Benedetti, A.V., 122
Berthier, B., 308
Bill, H., 60
Blank, H., 180
Bodak, O.I., 177
Boily, S., 302
Bortz, M., 173
Bouirden, L., 118
Bououdina, M., 285
Bräuninger, S., 161
Brec, R., 50
Bruzzone, G., 295
Buschow, K.H.J., 39

Cabot, P.L., 295
Çelebi, S., 215, 256
Cerisola, G., 295
Cho, W.-S., 78
Cracco, D., 233, 248

Das, T.P., 10
de Biasi, R.S., 270
Dhar, S.K., 25
Dichi, E., 199
Dumez, M.-C., 141

Enoki, H., 285

Filoti, G., 16
Fleurial, J.-P., 112
Franse, J.J.M., 39
Fries, T., 16
Fujitani, S., 207

Gachon, J.-C., 118
Grillo, M.L.N., 270
Grin, Yu., 161
Guerreiro, M.R., 122

Hagemann, H., 60
Hamada, E., 78
Hanfland, M., 161
Hassam, S., 199
He, J., 221
Hewat, A., 173
Himuro, Y., 130
Hintzen, H.T., 272
Hirosawa, S., 278
Houshiar, M., 1
Hu, W.-K., 261
Huaiying, Z., 137
Huo, G.Y., 152
Huot, J., 302

Ikeda, O., 130
Iltis, X., 308
Inazumi, C., 207
Ipser, H., 50
Ishida, K., 130
Iwasaki, J.-i., 42

Jang, K.-J., 241, 290
Jeon, S.-W., 261
Jingen, Z., 211
Jobic, S., 50
Jung, J.-H., 290

Kainuma, R., 130
Kamegashira, N., 42
Karaca, I., 256
Karpinsky, O.G., 112
Katoh, K., 22
Kawase, K., 42
Kemmler-Sack, S., 16
Kesavan, T.R., 10
Kim, D.-M., 241, 261, 290
Kodentsov, A.A., 188
Konno, T.J., 278
Kosuge, K., 221
Kotur, B.Ya., L3
Krachler, R., 50
Kretova, M.A., 112
Kubota, S.-i., 66
Kuncser, V., 16

Lee, H., 261
Lee, J.-Y., 241, 261, 290
Lee, S.-M., 241
Lefebvre, F., 308
Legendre, B., 199
Lelièvre, G., 308
Liang, G., 302
Liang, J.K., 152
Liu, Q.L., 152
Lovy, D., 60

Macaudière, P., 72
Maestro, P., 72
Mahdouk, K., 118
Malakhov, V.V., 72
Malaman, B., 29, 193
Marin-Ayral, R.-M., 141
Markovski, S.L., 188
Matsuoka, Y., 226
Mattern, N., 155
Meijerink, A., 272
Metselaar, R., 272
Miletich, R., 107
Mingliang, M., 211
Morozkin, A.V., L1
Morozkin, Yu., 177
Moze, O., 39

Nakamura, Y., 207
Naruke, H., 100
Nezir, S., 256
Nigam, A.K., 25
Nikitin, S.A., L1
Nishimura, K., 207
Norlidah, N.M., 29, 193

Oguro, K., 207
Ohnuma, I., 130
Orion, I., 50
Öztürk, A., 256

Pelosin, V., 166
Percheron-Guegan, A., 233, 248
Pertlik, F., 107
Pleumeekers, M.C.L.P., 188
Prots', Yu., 177

Qiao, Z.Y., 152

Rainford, B.D., 1
Rama Rao, K.V.S., 10
Ramaprabhu, S., 10
Rao, G.H., 152
Rey, J.M., 60
Rivière, A., 166
Rosenberg, M., 16

Salamakha, P.S., 177
Sato, K., 207
Satoh, H., 42
Schulz, R., 302
Schwarz, U., 161
Seling, B., 16
Seropegin, Yu.D., L1, 177
Shelimova, L.E., 112
Shengqi, X., 211
Shimada, M., 66
Spies, A., 16
Starynowicz, P., 47
Stepień-Damm, J., 177
Storms, E., 89
Sumiyama, K., 278
Suzuki, K., 278
Suzuyama, Y., 66
Sviridov, I.A., L1
Syassen, K., 161

Takabatake, T., 22
Tang, J., 25
Tédenac, J.-C., 141
Tessier, C., 308
Tessier, P., 285
Tian, J.H., 152
Tskhadadze, I.A., L1
Tsujii, N., 221
Tung, L.D., 39

Uehara, I., 207
Uehara, M., 278
Ueki, M., 83

van Krevel, J.W.H., 272
van Loo, F.J.J.,188
Van Neste, A., 302
Vasilyeva, I.G., 72
Venturini, G., 29, 193
Vlasov, A.A., 72

Wally, P., 83
Wen, Q., 137
Wetzig, K., 155

Xiaotian, W., 211
Xiaoyan, Q., 211
Xiulin, Z., 211

Yamane, H., 66
Yamase, T., 100
Yanmaz, E., 215
Yen, B.K., 266
Yinghong, Z., 137
Yiqiang, Y., 137
Yonezu, I., 207
Yoshimura, K., 221
Yu, J.-S., 290
Yvon, K., 173

Zhao, W., 25
Zinkevitch, M., 155

Elsevier Science S.A.
PII 0925-8388(97)00424-1

ELSEVIER

Journal of Alloys and Compounds 268 (1998) 321–325

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 268

Acetate
synthesis and crystal structure of europium(II) diacetate hemihydrate, $Eu(CH_3COO)_2 \cdot 0.5H_2O$ 47
Actinides
fractional packing densities and fast diffusion in uranium and other light actinides 180
Activation energy
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
Ag addition
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
Aging
influence of silver additions on the aging characteristics of the Cu–10.4at.%Al alloy 122
Al/CuO
solid-state reaction of Al/CuO couple by high-energy ball milling 211
Alloy processing
the role of experimental parameters in combustion synthesis of NiAl under high gas pressure 141
Alloys
experimental equilibrium phase diagram of the Ag–Bi–Sn system 199
Al–Mg–Zn alloys
role of intermetallics in the activation of Al–Mg–Zn alloys 295
Amorphous alloys
FMR study of crystallization in the amorphous alloy $Co_{69}Fe_4Ni_1Mo_2B_{12}Si_{12}$ (Metglas 2705M) 270
Annealing
structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
Anodic behaviour
role of intermetallics in the activation of Al–Mg–Zn alloys 295
Antimony
phase relations in the Pt–Ga–Sb system at 500°C 188

Ball milling
morphology and hydrogen absorption properties of an AB_2 type alloy ball milled with Mg_2Ni 248
$BaMgF_4$:Eu
Europium doped $BaMgF_4$, an EPR and optical investigation 60
Band structure
single phase domain occurrence in the $Rh_{1+x}Te_2$ ($0.15 \leq x \leq 0.84$) system 50
$BaTiO_3$
planar defects and luminescence of $BaTiO_3$ particles synthesized by a polymerized complex method 78
Beta-palladium-deuteride
formation of β-PdD containing high deuterium concentration using electrolysis of heavy-water 89

C15-type cubic Laves phase
hydrogen absorption characteristics in $Zr_{0.2}Ho_{0.8}CoFe$ 10
Cation distribution
magnetic properties and cation distribution in iron containing pyrochlores 16
γ-Ce_2S_3 doped with sodium
color and chemical heterogeneities of γ-[Na]-Ce_2S_3 solid solutions 72
$Ce_3Bi_4Pt_3$
crystal growth and semiconducting properties of $Ce_3Bi_4Pt_3$ 22
CeNiSn
coherent Kondo-lattice ground state in $CeNi_{0.85}Rh_{0.15}Sn$ alloy 1
Cerium
long wavelength Ce^{3+} emission in Y–Si–O–N materials 272
Cerium(III)
crystal structure of $K_{18.5}H_{1.5}[Ce_3(CO_3)(SbW_9O_{33})(W_5O_{18})_3] \cdot 14H_2O$ 100
Ce valency
crystal structure and magnetic properties of CeV_2Al_{20} and $CeCr_2Al_{20}$ 39
Charge balance
single phase domain occurrence in the $Rh_{1+x}Te_2$ ($0.15 \leq x \leq 0.84$) system 50
Chemical heterogeneity
color and chemical heterogeneities of γ-[Na]-Ce_2S_3 solid solutions 72
CO_2
stability of $LaNi_{5-x}Al_x$ alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
Color
color and chemical heterogeneities of γ-[Na]-Ce_2S_3 solid solutions 72
Combustion synthesis
thermal stability of transition metal carbosulfides prepared by combustion synthesis 83
Combustion wave
the role of experimental parameters in combustion synthesis of NiAl under high gas pressure 141
Complex alkali-tellurate(IV)
crystal structure of $NaGaTe_2O_6$: Aspects of Te_nO_m polyhedral polymerization in a layer tellurite 107
Copper
X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193
Copper-based alloys
influence of silver additions on the aging characteristics of the Cu–10.4at.%Al alloy 122
Corrosion
impact of intermetallic precipitates on hydrogen distribution in the oxide layers formed on zirconium alloys in a steam atmosphere: a $^2D(^3He,p)\alpha$ nuclear analysis study in microbeam mode 308
Crack-formation
formation of β-PdD containing high deuterium concentration using electrolysis of heavy-water 89

Elsevier Science S.A.
PII 0925-8388(97)00425-3

Critical current density
fabrication and characterization of $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10}$ superconductors prepared by a wet technique 256
Crystal structure
structural and magnetic properties of new RRuGe compounds L1
the Sc–Nd–Si ternary system at 870 K L3
synthesis and crystal structure of europium(II) diacetate hemihydrate, $Eu(CH_3COO)_2 \cdot 0.5H_2O$ 47
single phase domain occurrence in the $Rh_{1+x}Te_2$ ($0.15 \leq x \leq 0.84$) system 50
crystal structure of $K_{18.5}H_{1.5}[Ce_3(CO_3)(SbW_9O_{33})(W_5O_{18})_3] \cdot 14H_2O$ 100
crystal structure of $NaGaTe_2O_6$: Aspects of Te_nO_m polyhedral polymerization in a layer tellurite 107
an X-ray study of the mixed-layered compounds of $(GeTe)_n(Sb_2Te_3)_m$ homologous series 112
phase relations in the Fe-rich region of the Gd-Fe-Ti system at 1373 K 152
structural phase transition of $HoGa_2$ at high pressure 161
crystal structure of the ternary silicide, $SmRh_5Si_{3.17}$ 177
Crystallization in amorphous system
effect of Nb addition on the crystallization behavior and magnetic properties of melt-spun Fe-rich Fe–Nd–B ribbons 278
Crystallisation kinetics
FMR study of crystallization in the amorphous alloy $Co_{69}Fe_4Ni_1Mo_2B_{12}Si_{12}$ (Metglas 2705M) 270
CuAlNi alloy
structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
Cubic $AuBe_5$-type structure
preparation of cubic AuBe5-type $YbCu_{5-x}Al_x$ ($0 \leq x \leq 0.5$) under high pressure and their Kondo behavior 221

Diffusion couple
phase equilibria in the Fe-rich portion of the Fe–Ni–Si system 130
Direct reaction calorimetry
enthalpies of formation of the Al–Nb intermetallic compounds 118
Disorder
crystal structure of the ternary silicide, $SmRh_5Si_{3.17}$ 177
Divalent europium
synthesis and crystal structure of europium(II) diacetate hemihydrate, $Eu(CH_3COO)_2 \cdot 0.5H_2O$ 47
Drop method
high temperature enthalpies and heat capacities of $YbMnO_3$ and $YMnO_3$ 42
Durability
stability of $LaNi_{5-x}Al_x$ alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
Dy–Fe–Si ternary system
the 520°C isothermal section of the phase diagram of the ternary Dy–Fe–Si system 137

Electrical resistivity
preparation of cubic AuBe5-type $YbCu_{5-x}Al_x$ ($0 \leq x \leq 0.5$) under high pressure and their Kondo behavior 221
Electrochemical impedance spectra
electrochemical behaviors of low-Co Mm-based alloys as MH electrodes 261
Electrochemical properties
electrochemical behaviors of low-Co Mm-based alloys as MH electrodes 261
Enthalpy of formation
enthalpies of formation of the Al–Nb intermetallic compounds 118
EPR
Europium doped $BaMgF_4$, an EPR and optical investigation 60

Equilibrium phase diagram
experimental equilibrium phase diagram of the Ag–Bi–Sn system 199
Eutectic
experimental equilibrium phase diagram of the Ag–Bi–Sn system 199

FeNiSi alloy
phase equilibria in the Fe-rich portion of the Fe–Ni–Si system 130
Fe-pyrochlores
magnetic properties and cation distribution in iron containing pyrochlores 16
Ferromagnetic resonance
FMR study of crystallization in the amorphous alloy $Co_{69}Fe_4Ni_1Mo_2B_{12}Si_{12}$ (Metglas 2705M) 270
FQMG method
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215

Gadolinium
structural properties of the $ThMn_{12}$-type nonstoichiometric solid solutions in the Fe–Gd–Mo system 155
Gallium
structural phase transition of $HoGa_2$ at high pressure 161
phase relations in the Pt–Ga–Sb system at 500°C 188
Gd-Fe-Ti alloys
phase relations in the Fe-rich region of the Gd-Fe-Ti system at 1373 K 152
Germanium
an X-ray study of the mixed-layered compounds of $(GeTe)_n(Sb_2Te_3)_m$ homologous series 112
X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193

Hall coefficient
crystal growth and semiconducting properties of $Ce_3Bi_4Pt_3$ 22
Hard-magnetic materials
effect of Nb addition on the crystallization behavior and magnetic properties of melt-spun Fe-rich Fe–Nd–B ribbons 278
High-energy ball milling
solid-state reaction of Al/CuO couple by high-energy ball milling 211
High pressure
the role of experimental parameters in combustion synthesis of NiAl under high gas pressure 141
structural phase transition of $HoGa_2$ at high pressure 161
High-T_c superconductors
properties of sprayed YSZ buffer layers on alumina substrates for YBCO thick films 226
fabrication and characterization of $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10}$ superconductors prepared by a wet technique 256
Holmium
structural phase transition of $HoGa_2$ at high pressure 161
Hydride
stability of $LaNi_{5-x}Al_x$ alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
Hydrogen
stability of $LaNi_{5-x}Al_x$ alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
ball-milling of Mg_2Ni under hydrogen 285
Hydrogen absorption
hydrogen absorption characteristics in $Zr_{0.2}Ho_{0.8}CoFe$ 10
structural characterization and reversible hydrogen absorption properties of Mg_2Ni rich nanocomposite materials synthesized by mechanical alloying 233
morphology and hydrogen absorption properties of an AB_2 type alloy ball milled with Mg_2Ni 248

hydrogen absorption properties of a mechanically milled Mg–50 wt.% $LaNi_5$ composite 302
Hydrogen evolution
self-discharge mechanism of Vanadium–Titanium metal hydride electrodes for Ni–MH rechargeable battery 290
Hydrogen storage alloy
stability of $LaNi_{5-x}$ Al_x alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
Hydrogen uptake
impact of intermetallic precipitates on hydrogen distribution in the oxide layers formed on zirconium alloys in a steam atmosphere: a $^2D(^3He,p)\alpha$ nuclear analysis study in microbeam mode 308
Hydrolysis
Europium doped $BaMgF_4$, an EPR and optical investigation 60

Intermetallic compound
structural phase transition of $HoGa_2$ at high pressure 161
crystal structure of the ternary silicide, $SmRh_5Si_{3.17}$ 177
Intermetallic compounds
structural and magnetic properties of new RRuGe compounds L1
role of intermetallics in the activation of Al–Mg–Zn alloys 295
Intermetallic precipitates
impact of intermetallic precipitates on hydrogen distribution in the oxide layers formed on zirconium alloys in a steam atmosphere: a $^2D(^3He,p)\alpha$ nuclear analysis study in microbeam mode 308
Intermetallics
enthalpies of formation of the Al–Nb intermetallic compounds 118
Internal friction
structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
Interstitial diffusion
fractional packing densities and fast diffusion in uranium and other light actinides 180
Iron
structural properties of the $ThMn_{12}$-type nonstoichiometric solid solutions in the Fe–Gd–Mo system 155
Irreversibility line
fabrication and characterization of $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10}$ superconductors prepared by a wet technique 256
Isothermal section at 1100°C
phase relations in the Fe-rich region of the Gd-Fe-Ti system at 1373 K 152

Kinetic model
the role of experimental parameters in combustion synthesis of NiAl under high gas pressure 141
Kondo effect
preparation of cubic AuBe5-type $YbCu_{5-x}Al_x$ ($0\leq x\leq 0.5$) under high pressure and their Kondo behavior 221
Kondo semiconductor
coherent Kondo-lattice ground state in $CeNi_{0.85}Rh_{0.15}Sn$ alloy 1
crystal growth and semiconducting properties of $Ce_3Bi_4Pt_3$ 22

$LaMnSi_2$
X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193
Lanthanide
synthesis and crystal structure of europium(II) diacetate hemihydrate, $Eu(CH_3COO)_2\cdot 0.5H_2O$ 47
crystal structure of $K_{18.5}H_{1.5}[Ce_3(CO_3)(SbW_9O_{33})(W_5O_{18})_3]\cdot 14H_2O$ 100
Lanthanum
stability of $LaNi_{5-x}$ Al_x alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
Laves phase
morphology and hydrogen absorption properties of an AB_2 type alloy ball milled with Mg_2Ni 248
Loading-efficiency
formation of β-PdD containing high deuterium concentration using electrolysis of heavy-water 89
Low-Co hydrogen storage alloys
electrochemical behaviors of low-Co Mm-based alloys as MH electrodes 261
Luminescence
Europium doped $BaMgF_4$, an EPR and optical investigation 60
luminescence properties of $LiSr_2Y_{1-x}Ln_xO_4$ (Ln=Eu,Tb,Tm) ($0\leq x\leq 1$) 66
planar defects and luminescence of $BaTiO_3$ particles synthesized by a polymerized complex method 78
long wavelength Ce^{3+} emission in Y–Si–O–N materials 272

Magnesium
ball-milling of Mg_2Ni under hydrogen 285
Magnesium–nickel alloys
morphology and hydrogen absorption properties of an AB_2 type alloy ball milled with Mg_2Ni 248
Magnetic field
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
Magnetic properties
structural and magnetic properties of new RRuGe compounds L1
a magnetic study of $ThCr_2Si_2$-type pseudo-ternary $RMn_{1.5}T_{0.5}Ge_2$ compounds. (R=Y, Ce–Sm, Gd–Ho; T=Fe, Cu) 29
crystal structure and magnetic properties of CeV_2Al_{20} and $CeCr_2Al_{20}$ 39
Magnetic susceptibility
magnetic properties and cation distribution in iron containing pyrochlores 16
crystal growth and semiconducting properties of $Ce_3Bi_4Pt_3$ 22
preparation of cubic AuBe5-type $YbCu_{5-x}Al_x$ ($0\leq x\leq 0.5$) under high pressure and their Kondo behavior 221
Magnetoresistance and Kondo lattice
coherent Kondo-lattice ground state in $CeNi_{0.85}Rh_{0.15}Sn$ alloy 1
Magnetoresistivity
magnetoresistance of RNi_4Sn_2 (R=La, Ce, Pr and Nd) compounds 25
Martensite
structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
Mechanical alloying
structural characterization and reversible hydrogen absorption properties of Mg_2Ni rich nanocomposite materials synthesized by mechanical alloying 233
X-ray diffraction study of mechanochemical synthesis and formation mechanisms of zirconium carbide and zirconium silicides 266
ball-milling of Mg_2Ni under hydrogen 285
Mechanical milling
hydrogen absorption properties of a mechanically milled Mg–50 wt.% $LaNi_5$ composite 302
Mechanochemical synthesis
X-ray diffraction study of mechanochemical synthesis and formation mechanisms of zirconium carbide and zirconium silicides 266
Metal–hydrogen electrode
self-discharge mechanism of Vanadium–Titanium metal hydride electrodes for Ni–MH rechargeable battery 290
Mg–$LaNi_5$ composite
hydrogen absorption properties of a mechanically milled Mg–50 wt.% $LaNi_5$ composite 302
Mg–Ni alloys
structural characterization and reversible hydrogen absorption properties of Mg_2Ni rich nanocomposite materials synthesized by mechanical alloying 233

Microhardness
influence of silver additions on the aging characteristics of the Cu–10.4at.%Al alloy 122
Molybdenum
structural properties of the $ThMn_{12}$-type nonstoichiometric solid solutions in the Fe–Gd–Mo system 155
Mössbauer spectra
magnetic properties and cation distribution in iron containing pyrochlores 16

$NaGaTe_2O_6$
crystal structure of $NaGaTe_2O_6$: Aspects of Te_nO_m polyhedral polymerization in a layer tellurite 107
Nanocomposite alloys
structural characterization and reversible hydrogen absorption properties of Mg_2Ni rich nanocomposite materials synthesized by mechanical alloying 233
Nanocrystalline
ball-milling of Mg_2Ni under hydrogen 285
$NdMnSi_2$
X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193
Neutron diffraction
crystal structure and magnetic properties of CeV_2Al_{20} and $CeCr_2Al_{20}$ 39
Neutron powder diffraction
the crystal structures of Rb_2MgH_4 and Rb_3MgH_5 by neutron powder diffraction 173
NiAl compound
the role of experimental parameters in combustion synthesis of NiAl under high gas pressure 141
Nickel
stability of $LaNi_{5-x}Al_x$ alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O 207
ball-milling of Mg_2Ni under hydrogen 285
NiMH batteries
electrochemical behaviors of low-Co Mm-based alloys as MH electrodes 261
Niobium aluminides
enthalpies of formation of the Al–Nb intermetallic compounds 118
Nuclear analysis
impact of intermetallic precipitates on hydrogen distribution in the oxide layers formed on zirconium alloys in a steam atmosphere: a $^2D(^3He,p)\alpha$ nuclear analysis study in microbeam mode 308

Open-circuit potential
self-discharge mechanism of Vanadium–Titanium metal hydride electrodes for Ni–MH rechargeable battery 290
Open-circuit-voltage
formation of β-PdD containing high deuterium concentration using electrolysis of heavy-water 89
Order–disorder transition
phase equilibria in the Fe-rich portion of the Fe–Ni–Si system 130
Over-stoichiometry
the electrode characteristics of over-stoichiometric $ZrMn_{0.5}V_{0.5}Ni_{1.4+y}$ (y=0.0, 0.2, 0.4 and 0.6) alloys with C15 Laves phase structure 241
Oxidation resistance
thermal stability of transition metal carbosulfides prepared by combustion synthesis 83
Oxynitride
long wavelength Ce^{3+} emission in Y–Si–O–N materials 272

Packing density
fractional packing densities and fast diffusion in uranium and other light actinides 180
Partition
phase equilibria in the Fe-rich portion of the Fe–Ni–Si system 130
Peritectic
experimental equilibrium phase diagram of the Ag–Bi–Sn system 199
Phase diagram
the Sc–Nd–Si ternary system at 870 K L3
the 520°C isothermal section of the phase diagram of the ternary Dy–Fe–Si system 137
Phase equilibria
phase relations in the Pt–Ga–Sb system at 500°C 188
Phase equilibrium
phase equilibria in the Fe-rich portion of the Fe–Ni–Si system 130
Phase transformation
structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
Phosphor
luminescence properties of $LiSr_2Y_{1-x}Ln_xO_4$ (Ln=Eu,Tb,Tm) ($0 \leq x \leq 1$) 66
Planar defects
planar defects and luminescence of $BaTiO_3$ particles synthesized by a polymerized complex method 78
Plateau pressure
self-discharge mechanism of Vanadium–Titanium metal hydride electrodes for Ni–MH rechargeable battery 290
Platinum
phase relations in the Pt–Ga–Sb system at 500°C 188
Polymeric precursor method
planar defects and luminescence of $BaTiO_3$ particles synthesized by a polymerized complex method 78
Polyoxotungstate
crystal structure of $K_{18.5}H_{1.5}[Ce_3(CO_3)(SbW_9O_{33})(W_5O_{18})_3]\cdot 14H_2O$ 100
Pressure-composition isotherms
hydrogen absorption characteristics in $Zr_{0.2}Ho_{0.8}CoFe$ 10
$PrMnCu_{0.5}Ge_{1.5}$
X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193

Rare earth
luminescence properties of $LiSr_2Y_{1-x}Ln_xO_4$ (Ln=Eu,Tb,Tm) ($0 \leq x \leq 1$) 66
Rare earth compounds
structural and magnetic properties of new RRuGe compounds L1
Rare earth intermetallics
the Sc–Nd–Si ternary system at 870 K L3
Rare earth iron silicides
the 520°C isothermal section of the phase diagram of the ternary Dy–Fe–Si system 137
Rare earth manganese germanides
a magnetic study of $ThCr_2Si_2$-type pseudo-ternary $RMn_{1.5}T_{0.5}Ge_2$ compounds. (R=Y, Ce–Sm, Gd–Ho; T=Fe, Cu) 29
Rare earth manganites
high temperature enthalpies and heat capacities of $YbMnO_3$ and $YMnO_3$ 42
Reaction surface area
the electrode characteristics of over-stoichiometric $ZrMn_{0.5}V_{0.5}Ni_{1.4+y}$ (y=0.0, 0.2, 0.4 and 0.6) alloys with C15 Laves phase structure 241
Resistive transition
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
$Rh_{1+x}Te_2$
single phase domain occurrence in the $Rh_{1+x}Te_2$ ($0.15 \leq x \leq 0.84$) system 50

RNi_4Sn_2 compounds
magnetoresistance of RNi_4Sn_2 (R=La, Ce, Pr and Nd) compounds 25
Rubidium magnesium hydrides
the crystal structures of Rb_2MgH_4 and Rb_3MgH_5 by neutron powder diffraction 173

Scandium neodymium
the Sc–Nd–Si ternary system at 870 K L3
Self-discharge
self-discharge mechanism of Vanadium–Titanium metal hydride electrodes for Ni–MH rechargeable battery 290
SHS
X-ray diffraction study of mechanochemical synthesis and formation mechanisms of zirconium carbide and zirconium silicides 266
Silicide
crystal structure of the ternary silicide, $SmRh_5Si_{3.17}$ 177
Silver additions
influence of silver additions on the aging characteristics of the Cu–10.4at.%Al alloy 122
Single-crystal X-ray diffraction
X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193
Solid state reaction
solid-state reaction of Al/CuO couple by high-energy ball milling 211
Sprayed buffer layers
properties of sprayed YSZ buffer layers on alumina substrates for YBCO thick films 226
Structure
formation of β-PdD containing high deuterium concentration using electrolysis of heavy-water 89
Structure determination
crystal structure and magnetic properties of CeV_2Al_{20} and $CeCr_2Al_{20}$ 39
the crystal structures of Rb_2MgH_4 and Rb_3MgH_5 by neutron powder diffraction 173
Structure refinement
structural properties of the $ThMn_{12}$-type nonstoichiometric solid solutions in the Fe–Gd–Mo system 155
Synthesis
crystal structure of $NaGaTe_2O_6$: Aspects of Te_nO_m polyhedral polymerization in a layer tellurite 107

Tantalum carbosulfide
thermal stability of transition metal carbosulfides prepared by combustion synthesis 83
Tellurium
an X-ray study of the mixed-layered compounds of $(GeTe)_n$ $(Sb_2Te_3)_m$ homologous series 112
Tellurium bonding contacts
single phase domain occurrence in the $Rh_{1+x}Te_2$ ($0.15 \le x \le 0.84$) system 50
Ternary cerium aluminides
crystal structure and magnetic properties of CeV_2Al_{20} and $CeCr_2Al_{20}$ 39
Ternary compounds
structural properties of the $ThMn_{12}$-type nonstoichiometric solid solutions in the Fe–Gd–Mo system 155
Ternary intermetallics
phase relations in the Fe-rich region of the Gd-Fe-Ti system at 1373 K 152
Ternary rare earth compounds
a magnetic study of $ThCr_2Si_2$-type pseudo-ternary $RMn_{1.5}T_{0.5}Ge_2$ compounds. (R=Y, Ce–Sm, Gd–Ho; T=Fe, Cu) 29
Ternary systems
influence of silver additions on the aging characteristics of the Cu–10.4at.%Al alloy 122
$Te^{4+}O_x$ polyhedral polymerization
crystal structure of $NaGaTe_2O_6$: Aspects of Te_nO_m polyhedral polymerization in a layer tellurite 107
Thermal analysis
experimental equilibrium phase diagram of the Ag–Bi–Sn system 199
effect of Nb addition on the crystallization behavior and magnetic properties of melt-spun Fe-rich Fe–Nd–B ribbons 278
Thermally activated flux flow (TAFF)
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
Thermodynamic properties
high temperature enthalpies and heat capacities of $YbMnO_3$ and $YMnO_3$ 42
Thermo-dynamics of dissolved hydrogen
hydrogen absorption characteristics in $Zr_{0.2}Ho_{0.8}CoFe$ 10
Thermopower
crystal growth and semiconducting properties of $Ce_3Bi_4Pt_3$ 22
Thick films
properties of sprayed YSZ buffer layers on alumina substrates for YBCO thick films 226
Titanium carbosulfide
thermal stability of transition metal carbosulfides prepared by combustion synthesis 83
Transmission electron microscopy
effect of Nb addition on the crystallization behavior and magnetic properties of melt-spun Fe-rich Fe–Nd–B ribbons 278

X-ray diffraction
an X-ray study of the mixed-layered compounds of $(GeTe)_n$ $(Sb_2Te_3)_m$ homologous series 112
structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
effect of Nb addition on the crystallization behavior and magnetic properties of melt-spun Fe-rich Fe–Nd–B ribbons 278

$YBa_2Cu_3O_{7-x}$
thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
Y-Ba-Cu-O
properties of sprayed YSZ buffer layers on alumina substrates for YBCO thick films 226
$YbCu_{5-x}Al_x$
preparation of cubic AuBe5-type $YbCu_{5-x}Al_x$ ($0 \le x \le 0.5$) under high pressure and their Kondo behavior 221

Zircaloy
impact of intermetallic precipitates on hydrogen distribution in the oxide layers formed on zirconium alloys in a steam atmosphere: a $^2D(^3He,p)\alpha$ nuclear analysis study in microbeam mode 308
Zirconium carbide
X-ray diffraction study of mechanochemical synthesis and formation mechanisms of zirconium carbide and zirconium silicides 266
Zirconium silicides
X-ray diffraction study of mechanochemical synthesis and formation mechanisms of zirconium carbide and zirconium silicides 266
Zr-based Laves phase
the electrode characteristics of over-stoichiometric $ZrMn_{0.5}V_{0.5}Ni_{1.4+y}$ (y=0.0, 0.2, 0.4 and 0.6) alloys with C15 Laves phase structure 241